

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

RECEIVED
MAR 08 2002
TECH CENTER 1600/2900



1600

23/K.T.
Raw
Seq.
J. Shing

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/310,844C

DATE: 02/22/2002
TIME: 15:22:09

Input Set : A:\EP.txt
Output Set: N:\CRF3\02222002\I310844C.raw

ENTERED
see page 5

3 <110> APPLICANT: Ecker, David J.
4 Griffey, Richard
5 Crooke, Stanley T.
6 Sampath, Ranga
7 Swayze, Eric
8 Mohan, Venkatraman
9 Hofstadler, Steven
10 McNeil, John
12 <120> TITLE OF INVENTION: Molecular Interaction Sites Of Interleukin-2 RNA And Methods
Of
13 Modulating The Same
15 <130> FILE REFERENCE: IBIS0171
17 <140> CURRENT APPLICATION NUMBER: 09/310,844C
18 <141> CURRENT FILING DATE: 1999-05-12
20 <160> NUMBER OF SEQ ID NOS: 97
22 <170> SOFTWARE: PatentIn version 3.1
24 <210> SEQ ID NO: 1
25 <211> LENGTH: 24
26 <212> TYPE: RNA
27 <213> ORGANISM: Artificial Sequence
29 <220> FEATURE:
30 <223> OTHER INFORMATION: Novel Sequence
32 <220> FEATURE:
33 <221> NAME/KEY: misc_feature
34 <222> LOCATION: (1)..(4)
35 <223> OTHER INFORMATION: N is any nucleotide
38 <220> FEATURE:
39 <221> NAME/KEY: misc_feature
40 <222> LOCATION: (6)..(12)
41 <223> OTHER INFORMATION: N is any nucleotide
44 <220> FEATURE:
45 <221> NAME/KEY: misc_feature
46 <222> LOCATION: (14)..(15)
47 <223> OTHER INFORMATION: N is any nucleotide
50 <220> FEATURE:
51 <221> NAME/KEY: misc_feature
52 <222> LOCATION: (17)..(24)
53 <223> OTHER INFORMATION: N is any nucleotide
56 <400> SEQUENCE: 1
W--> 57 nnnncnnnnn nnnnnnnnnn nnnn
60 <210> SEQ ID NO: 2
61 <211> LENGTH: 31
62 <212> TYPE: RNA
63 <213> ORGANISM: Artificial Sequence

24

RAW SEQUENCE LISTING

DATE: 02/22/2002

PATENT APPLICATION: US/09/310,844C

TIME: 15:22:09

Input Set : A:\EP.txt

Output Set: N:\CRF3\02222002\I310844C.raw

```

65 <220> FEATURE:
66 <223> OTHER INFORMATION: Novel Sequence
68 <400> SEQUENCE: 2
69 uuuacaacau aaucuaguuu acagaaaaau c 31
72 <210> SEQ ID NO: 3
73 <211> LENGTH: 48
74 <212> TYPE: RNA
75 <213> ORGANISM: Artificial Sequence
77 <220> FEATURE:
78 <223> OTHER INFORMATION: Novel Sequence
80 <220> FEATURE:
81 <221> NAME/KEY: misc_feature
82 <222> LOCATION: (1)..(4)
83 <223> OTHER INFORMATION: N is any nucleotide
86 <220> FEATURE:
87 <221> NAME/KEY: misc_feature
88 <222> LOCATION: (6)..(6)
89 <223> OTHER INFORMATION: N is any nucleotide
92 <220> FEATURE:
93 <221> NAME/KEY: misc_feature
94 <222> LOCATION: (12)..(14)
95 <223> OTHER INFORMATION: N is any nucleotide
98 <220> FEATURE:
99 <221> NAME/KEY: misc_feature
100 <222> LOCATION: (20)..(21)
101 <223> OTHER INFORMATION: N is any nucleotide
104 <220> FEATURE:
105 <221> NAME/KEY: misc_feature
106 <222> LOCATION: (24)..(24)
107 <223> OTHER INFORMATION: N is any nucleotide
110 <220> FEATURE:
111 <221> NAME/KEY: misc_feature
112 <222> LOCATION: (44)..(45)
113 <223> OTHER INFORMATION: N is any nucleotide
116 <220> FEATURE:
117 <221> NAME/KEY: misc_feature
118 <222> LOCATION: (48)..(48)
119 <223> OTHER INFORMATION: N is any nucleotide
122 <400> SEQUENCE: 3
W--> 123 nnnnaaagg gnnnucacaa nuancugugu uccuauggaa acunnuun 48
126 <210> SEQ ID NO: 4
127 <211> LENGTH: 45
128 <212> TYPE: RNA
129 <213> ORGANISM: Artificial Sequence
131 <220> FEATURE:
132 <223> OTHER INFORMATION: Novel Sequence
134 <400> SEQUENCE: 4
135 uaggauagg gucacacuua ucuguguucc uaggaaacu auuug 45
138 <210> SEQ ID NO: 5

```

RAW SEQUENCE LISTING

DATE: 02/22/2002

PATENT APPLICATION: US/09/310,844C

TIME: 15:22:09

Input Set : A:\EP.txt

Output Set: N:\CRF3\02222002\I310844C.raw

```

139 <211> LENGTH: 44
140 <212> TYPE: RNA
141 <213> ORGANISM: Artificial Sequence
143 <220> FEATURE:
144 <223> OTHER INFORMATION: Novel Sequence
146 <400> SEQUENCE: 5
147 uaggagaugg gggucacacu uacuguguuc cuauggaaac uuug 44
150 <210> SEQ ID NO: 6
151 <211> LENGTH: 45
152 <212> TYPE: RNA
153 <213> ORGANISM: Artificial Sequence
155 <220> FEATURE:
156 <223> OTHER INFORMATION: Novel Sequence
158 <400> SEQUENCE: 6
159 uaggagaugg ggggucacac uuacuguguu ccuaugaaac uuuug 45
162 <210> SEQ ID NO: 7
163 <211> LENGTH: 30
164 <212> TYPE: RNA
165 <213> ORGANISM: Artificial Sequence
167 <220> FEATURE:
168 <223> OTHER INFORMATION: Novel Sequence
170 <220> FEATURE:
171 <221> NAME/KEY: misc_feature
172 <222> LOCATION: (6)..(8)
173 <223> OTHER INFORMATION: N is any nucleotide
176 <220> FEATURE:
177 <221> NAME/KEY: misc_feature
178 <222> LOCATION: (14)..(15)
179 <223> OTHER INFORMATION: N is any nucleotide
182 <220> FEATURE:
183 <221> NAME/KEY: misc_feature
184 <222> LOCATION: (18)..(18)
185 <223> OTHER INFORMATION: N is any nucleotide
188 <400> SEQUENCE: 7
W--> 189 augggnnnuc acannuancu guguuccuau 30
192 <210> SEQ ID NO: 8
193 <211> LENGTH: 27
194 <212> TYPE: RNA
195 <213> ORGANISM: Artificial Sequence
197 <220> FEATURE:
198 <223> OTHER INFORMATION: Novel Sequence
200 <400> SEQUENCE: 8
201 augggucaca cuuauucugug uuccuau 27
204 <210> SEQ ID NO: 9
205 <211> LENGTH: 28
206 <212> TYPE: RNA
207 <213> ORGANISM: Artificial Sequence
209 <220> FEATURE:
210 <223> OTHER INFORMATION: Novel Sequence

```

RAW SEQUENCE LISTING

DATE: 02/22/2002

PATENT APPLICATION: US/09/310,844C

TIME: 15:22:09

Input Set : A:\EP.txt

Output Set: N:\CRF3\02222002\I310844C.raw

```

212 <400> SEQUENCE: 9
213 augggggguca cacuuacugu guuccuau 28
216 <210> SEQ ID NO: 10
217 <211> LENGTH: 29
218 <212> TYPE: RNA
219 <213> ORGANISM: Artificial Sequence
221 <220> FEATURE:
222 <223> OTHER INFORMATION: Novel Sequence
224 <400> SEQUENCE: 10
225 auggggggguc acacuuacug uguuccuau 29
228 <210> SEQ ID NO: 11
229 <211> LENGTH: 17
230 <212> TYPE: RNA
231 <213> ORGANISM: Artificial Sequence
233 <220> FEATURE:
234 <223> OTHER INFORMATION: Novel Sequence
236 <220> FEATURE:
237 <221> NAME/KEY: misc_feature
238 <222> LOCATION: (5)..(6)
239 <223> OTHER INFORMATION: N is any nucleotide
242 <220> FEATURE:
243 <221> NAME/KEY: misc_feature
244 <222> LOCATION: (10)..(10)
245 <223> OTHER INFORMATION: N is any nucleotide
248 <400> SEQUENCE: 11
W--> 249 caagnnuuun uagcuug 17
252 <210> SEQ ID NO: 12
253 <211> LENGTH: 18
254 <212> TYPE: RNA
255 <213> ORGANISM: Artificial Sequence
257 <220> FEATURE:
258 <223> OTHER INFORMATION: Novel Sequence
260 <400> SEQUENCE: 12
261 caagcauuug uagcuugu 18
264 <210> SEQ ID NO: 13
265 <211> LENGTH: 18
266 <212> TYPE: RNA
267 <213> ORGANISM: Artificial Sequence
269 <220> FEATURE:
270 <223> OTHER INFORMATION: Novel Sequence
272 <400> SEQUENCE: 13
273 caagcguuug uagcuugu 18
276 <210> SEQ ID NO: 14
277 <211> LENGTH: 18
278 <212> TYPE: RNA
279 <213> ORGANISM: Artificial Sequence
281 <220> FEATURE:
282 <223> OTHER INFORMATION: Novel Sequence
284 <400> SEQUENCE: 14

```

RAW SEQUENCE LISTING

DATE: 02/22/2002

PATENT APPLICATION: US/09/310,844C

TIME: 15:22:09


Input Set : A:\EP.txt

Output Set: N:\CRF3\02222002\I310844C.raw

```

285 caagcauuua uagcuugu 18
288 <210> SEQ ID NO: 15
289 <211> LENGTH: 18
290 <212> TYPE: RNA
291 <213> ORGANISM: Artificial Sequence
293 <220> FEATURE:
294 <223> OTHER INFORMATION: Novel Sequence
296 <400> SEQUENCE: 15
297 caagcauuug uagcuugu 18
300 <210> SEQ ID NO: 16
301 <211> LENGTH: 62
302 <212> TYPE: RNA
303 <213> ORGANISM: Artificial Sequence
305 <220> FEATURE:
306 <223> OTHER INFORMATION: Novel Sequence
308 <220> FEATURE:
309 <221> NAME/KEY: misc_feature
310 <222> LOCATION: (21)..(21)
311 <223> OTHER INFORMATION: N is any nucleotide
314 <220> FEATURE:
315 <221> NAME/KEY: misc_feature
316 <222> LOCATION: (34)..(34)
317 <223> OTHER INFORMATION: N is any nucleotide
320 <220> FEATURE:
321 <221> NAME/KEY: misc_feature
322 <222> LOCATION: (37)..(38)
323 <223> OTHER INFORMATION: N is any nucleotide
326 <220> FEATURE:
327 <221> NAME/KEY: misc_feature
328 <222> LOCATION: (41)..(42)
329 <223> OTHER INFORMATION: N is any nucleotide
332 <220> FEATURE:
333 <221> NAME/KEY: misc_feature
334 <222> LOCATION: (44)..(44)
335 <223> OTHER INFORMATION: N is any nucleotide
338 <220> FEATURE:
339 <221> NAME/KEY: misc_feature
340 <222> LOCATION: (46)..(46)
341 <223> OTHER INFORMATION: N is any nucleotide
344 <220> FEATURE:
345 <221> NAME/KEY: misc_feature
346 <222> LOCATION: (48)..(50)
347 <223> OTHER INFORMATION: N is any nucleotide
350 <220> FEATURE:
351 <221> NAME/KEY: misc_feature
352 <222> LOCATION: (54)..(54)
353 <223> OTHER INFORMATION: N is any nucleotide
356 <220> FEATURE:
357 <221> NAME/KEY: misc_feature

```


 Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/310,844C

DATE: 02/22/2002

TIME: 15:22:10

Input Set : A:\EP.txt

Output Set: N:\CRF3\02222002\I310844C.raw

L:57 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:123 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:189 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:249 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11
L:369 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16
L:439 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:517 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20
L:595 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23
L:649 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26
L:715 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:957 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44
L:1233 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65
L:1281 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:66
L:1329 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67
L:1371 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:68
L:1425 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69
L:1473 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70
L:1527 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71
L:1575 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72
L:1623 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73
L:1665 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74
L:1719 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:75
L:1767 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76
L:1821 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77
L:1869 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78
L:1917 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79
L:1959 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80
L:2013 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:81
L:2061 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82
L:2109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83
L:2151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84
L:2193 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85
L:2229 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86
L:2277 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:87
L:2319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88
L:2343 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89
L:2373 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:90
L:2397 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91
L:2427 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92
L:2451 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:93
L:2475 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94
L:2493 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95
L:2559 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96
L:2619 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:97